

Summer Maintenance Checklist

Exterior

- Remove roof debris (sticks, leaves, etc.) as needed.
- Check vents, louvers, chimney caps and housings for debris and bird nests.
- Check antenna/dish attachment to roof, and bolts for proper sealant.
- Evaluate roof for repair or future replacement.
- Clean gutters and downspouts as needed.
- Clean window wells, and storm drains as needed.
- Check grading around house to assure water will drain away from foundation. Repair if necessary.
- Test ground fault circuit interrupters (GFCI's) monthly. Replace if GFCI doesn't trip or reset properly.
- Check safety reverse devices on garage overhead door opener. Adjust if necessary.

Interior

- Test ground fault circuit interrupters (GFCI's) monthly. Replace if GFCI doesn't trip or reset properly.
- Check condition of lamp cords, extension cords and plugs. Replace at the first sign of wear or damage.
- Clean dust and dirt from around furnace and water heater.
- Check water heater, and flush sediment from tank.
- Test CO and smoke detectors. Replace if non-responsive.
- Replace CO and smoke detector batteries annually.
- Replace CO and smoke detectors every 6 years, or as recommended by manufacture.



Castle
Home Inspections, LLC

www.InspectYourCastle.com | info@InspectYourCastle.com | 612.309.6380
Reproduction and distribution of this maintenance checklist is permitted. 2018